



***Safe
Delightful
Pure***

Complete Water Purification

Steps of Purification

Pre-Filter

- Dirt and turbidity.
- Chlorine taste and odors.
- Most VOC's or the alphabet soup you see on the news.

Membrane

- Most unwanted inorganics are removed at about 98%.
- Most heavy metals.
- Dissolved solids too small to be removed by the pre-filter are removed and sent to drain.
- Our membranes are available in different sizes from 24 gpd to 100 gpd.

Post-Filter

- Pure water stored in the storage tank is now polished when you call for water at the faucet.
- Virtually anything left in the water is removed by the post-filter.

Rapid Recovery

- Pure water is produced as you use it. This rapid recovery assures that you can have all the pure water your house can use. Some of these uses may be:
- Drinking Water
- Pure Ice Cubes
- Baby Formulas
- Auto Batteries
- Cooking Water
- Juices, Coffee, Tea
- Soups and Sauces
- Weight Loss Diets
- Low Sodium Diet
- Pets
- Plants
- Humidifiers
- Aquariums
- Steam Irons
- Fruits
- Vegetables



We Have Your Faucet

603 Series Faucets



905 Series Faucets



888 Series Faucets



*With all these options,
you can get great water
and a dependable unit
that looks great too.*

Membrane



The **Pentair Membrane** boast a performance second to none of the standard reverse osmosis elements. It does all this and delivers awesome quality water. Available in multiple sizes from 24gpd to 100gpd..



Unit assembled using NSF certified components.



Units also available in black.

Tanks

Dimensions and Capacities

One Gallon

8"D x 9"H - 3.5 lbs

Two Gallon

9"D x 13"H - 5.5 lbs

Three Gallon

11"D x 13"H - 9 lbs

Ten Gallon

15"D x 19"H - 22 lbs



We offer different size tanks to fit your needs. 1, 2, 3 and 10 gallon are on hand.

Post-Filter

(Optional) **Pentek GS-210RO-MF Reverse Osmosis Inline Post Filter** uses hollow fiber and

Fiberdyne technology to reduce heterotrophic bacteria and chlorine.

Tested to NSF/ANSI

Standard 53 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means.

(Optional) **Re-mineralizer Post-Filter** Adds back minerals removed and makes the water more alkaline all while still polishing the water with granular activated carbon.



Pre-Filters

We have a "Melt-Blown" 5 micron sediment pre-filter for fine filtration before our carbon block.

This carbon block filter uses coconut shell carbon exclusively for best results.

Chlorine taste and odor reduction with superior sediment reduction.



Bad Stuff Out

Nominal Rejection Rate of a Reverse Osmosis TFC Membrane.

Material	% Rejection	Material	% Rejection
Aluminum	98-99	Magnesium	96-98
Ammonium	86-92	Mercury	96-98
Arsenic5	88-96	Manganese	95-98
Barium	96-98	Nitrate	60-75
Bicarbonate	90-95	Nickel	60-75
Bromide	87-93	Phosphate	98-99
Cadmium	96-99	Potassium	98-99
Calcium	94-97	Selenium	94-97
Chloride	93-97	Silicate	85-90
Chromate	86-98	Silver	93-96
Copper	98-99	Sodium	87-93
Cyanide	86-92	Strontium	96-98
Ferrocyanide	98-99	Sulfate	98-99
Fluoride	87-93	Sulfite	96-98
Iron	95-98	Thiosulfate	98-99
Lead	96-98	Zinc	98-99

Removes 85-90% of all Organics Including: THM's, PCB's, Pesticides, Herbicides and Benzene. The rejection table is an average and should only be used as a guideline as TDS, water temperature and water chemistry can vary and effect performance.

**Wonderful Ice
and
Great Tasting
Drinking Water**



- **Safe**
- **Purified**
- **Worry-Free**

No-More Bottles



Model

Description

Comments



Ultima VII

Five-Stage Reverse Osmosis System Utilizing Sediment, Carbon Block (2), 24 gpd RO and the CS-GAC Post-Filter

For the person that wants the best and the system that can handle



Ultima VIIC

Four-Stage Reverse Osmosis System Utilizing Sediment/Carbon Block , 24gpd RO and the Carbon Block Post-Filter

For the person that wants almost the best without the expense of the best.



Ultima VI

Four-Stage Reverse Osmosis System Utilizing Sediment/Carbon Block, 24gpd RO and CS-GAC Post-Filter

The RO that delivers great water without the higher cost.

For more information contact your "Authorized Dealer"

Five Year Warranty

All drinking water systems are warranted for a period of 5 years from the date of purchase. This warranty is offered by the manufacturer and your distributor may offer additional warranties. Any defective parts must be returned to the manufacturer for coverage. This warranty does not cover labor charges incurred outside the factory for removal, installation or repair. This warranty does not include filter replacement.

(Complete Warranty in Owner Manual)

